L Number	Hits	Search Text	DB	Time stamp
1	44	((discriminat\$5 or detect\$5) near5 (halfton\$5 or half-ton\$5 or (half near5 ton\$5))) and ((discriminat\$5 or	USPAT; US-PGPUB;	2004/07/09 08:17
2	31	detect\$5) near5 (((continu\$6 or multi\$5) near5 (gradat\$6 or level\$4)) or conton\$3 or continuous-level or multi-level or multiple-level or multi-gradat\$5 or multiple-gradat\$5)) (((discriminat\$5 or detect\$5) near5 (halfton\$5 or half-ton\$5 or (half near5 ton\$5))) and ((discriminat\$5 or detect\$5) near5 (((continu\$6 or multi\$5) near5 (gradat\$6 or level\$4)) or conton\$3 or continuous-level or multi-level or multiple-level or multi-gradat\$5 or multiple-gradat\$5))) and	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:17
3	26	color\$5 ((((discriminat\$5 or detect\$5) near5 (halfton\$5 or half-ton\$5 or (half near5 ton\$5))) and ((discriminat\$5 or detect\$5) near5 (((continu\$6 or multi\$5) near5 (gradat\$6 or level\$4)) or conton\$3 or continuous-level or multi-level or multiple-level or multi-gradat\$5 or multiple-gradat\$5))) and color\$5) and @ad<20001211	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:04
4	11	(((((discriminat\$5 or detect\$5) near5 (halfton\$5 or half-ton\$5 or (half near5 ton\$5))) and ((discriminat\$5 or detect\$5) near5 (((continu\$6 or multi\$5) near5 (gradat\$6 or level\$4)) or conton\$3 or continuous-level or multi-level or multiple-level or multi-gradat\$5 or multiple-gradat\$5))) and color\$5) and @ad<20001211) and (conver\$5 near5 ((halfton\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:18
5	1762	or half-ton\$5 or (half near5 ton\$5)))) (conver\$5 near5 ((halfton\$5 or half-ton\$5 or (half near5 ton\$5)))) and color	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:19
6	112	((conver\$5 near5 ((halfton\$5 or half-ton\$5 or (half near5 ton\$5)))) and color) and (input\$5 near5 ((((continu\$6 or multi\$5) near5 (gradat\$6 or level\$4)) or conton\$3 or continuous-level or multi-level or multiple-level or multi-gradat\$5 or multiple-gradat\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:20
7	74	(((conver\$5 near5 ((halfton\$5 or half-ton\$5 or (half near5 ton\$5)))) and color) and (input\$5 near5 ((((continu\$6 or multi\$5) near5 (gradat\$6 or level\$4)) or conton\$3 or continuous-level or multi-level or multiple-level or multi-gradat\$5 or multiple-gradat\$5)))) and (output\$5 near4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:22
8	63	print\$5) ((((conver\$5 near5 ((halfton\$5 or half-ton\$5 or (half near5 ton\$5)))) and color) and (input\$5 near5 ((((continu\$6 or multi\$5) near5 (gradat\$6 or level\$4)) or conton\$3 or continuous-level or multi-level or multiple-level or multi-gradat\$5 or multiple-gradat\$5)))) and (output\$5 near4 print\$5)) and @ad<20001211	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:22

L Number	Hits	Search Text	DB	Time stamp
1	228	(discriminat\$5 or detect\$5) near5 imag\$5 near6 tag\$5	USPAT;	2004/07/09 10:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	14	//dispuissinghtE or detecttE) popuE impotE popuE tootE) and	IBM_TDB USPAT;	2004/07/09 10:25
2	14	((discriminat\$5 or detect\$5) near5 imag\$5 near6 tag\$5) and	US-PGPUB;	2004/07/09 10.25
		(halfton\$5 or half-ton\$5 or (half near5 ton\$5))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	5	imag\$5 near6 tag\$5 near6 (halfton\$5 or half-ton\$5 or (half	USPAT;	2004/07/09 10:38
		near5 ton\$5)) near6 (((continu\$6 or multi\$5) near5 (gradat\$6	US-PGPUB;	, ,
		or level\$4)) or conton\$3 or continuous-level or multi-level or	EPO; JPO;	
		multiple-level or multi-gradat\$5 or multiple-gradat\$5)	DERWENT;	
			IBM_TDB	
4	8	imag\$5 near6 (label\$5 or tag\$5 or attach\$5) near6 (halfton\$5	USPAT;	2004/07/09 10:40
		or half-ton\$5 or (half near5 ton\$5)) near6 (((continu\$6 or	US-PGPUB;	
		multi\$5) near5 (gradat\$6 or level\$4)) or conton\$3 or	EPO; JPO;	
		continuous-level or multi-level or multiple-level or	DERWENT;	
_	30	multi-gradat\$5 or multiple-gradat\$5)	IBM_TDB USPAT;	2004/07/00 10:40
5	29		US-PGPUB;	2004/07/09 10:49
		information	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	1036	imag\$5 near6 tag\$5 near6 information	USPAT;	2004/07/09 10:50
"	1050	midges floar o vages floar o missing and	US-PGPUB;	, ,
,			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	442	imag\$5 near6 tag\$5 near6 information and @ad<20001211	USPAT;	2004/07/09 10:56
			US-PGPUB;	
!			EPO; JPO;	
			DERWENT; IBM_TDB	
•	12	(imag\$5 near6 tag\$5 near6 information and @ad<20001211)	USPAT;	2004/07/09 10:57
8	12	and ((discriminat\$5 or judg\$5) near5 tag\$5)	US-PGPUB;	2001/07/05 10.57
		l and ((discriminacy) or judges) recars ages)	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
9	11977	imag\$5 near6 (label\$5 or tag\$5) and @ad<20001211	USPAT;	2004/07/09 10:58
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
40		(investEmper (labelet as tacte) and @=d :2000(211) ==d	IBM_TDB	2004/07/00 10:50
10	54	(imag\$5 near6 (label\$5 or tag\$5) and @ad<20001211) and	USPAT; US-PGPUB;	2004/07/09 10:58
		((discriminat\$5 or judg\$5) near5 tag\$5)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	0	((input\$5 near4 imag\$5) near6 (label\$5 or tag\$5) and	USPAT;	2004/07/09 11:01
		@ad<20001211) and ((discriminat\$5 or judg\$5) near5 tag\$5)	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	392	(input\$5 near4 imag\$5) near6 (label\$5 or tag\$5) and	USPAT;	2004/07/09 11:00
		@ad<20001211	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	1	I	IBM_TDB	l

13	1380	(input\$5 near4 imag\$5) same (label\$5 or tag\$5) and	USPAT;	2004/07/09 11:01
		@ad<20001211	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	6	((input\$5 near4 imag\$5) same (label\$5 or tag\$5) and	USPAT;	2004/07/09 11:01
		@ad<20001211) and ((discriminat\$5 or judg\$5) near5 tag\$5)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

L Number	Hits	Search Text	DB	Time stamp
9	192	(halfton\$5 or half-ton\$5 or (half near5 ton\$5)) near5	USPAT;	2004/07/09 09:32
i		(conver\$5) near5 (((continu\$6 or multi\$5) near5 (gradat\$6 or	US-PGPUB;	
		level\$4)) or	EPO; JPO;	
		conton\$3 or continuous-level or multi-level or multiple-level or	DERWENT;	
		multi-gradat\$5 or multiple-gradat\$5)	IBM_TDB	
10	149	((halfton\$5 or half-ton\$5 or (half near5 ton\$5)) near5	USPAT;	2004/07/09 09:35
		(conver\$5) near5 (((continu\$6 or multi\$5) near5 (gradat\$6 or	US-PGPUB;	
		level\$4)) or	EPO; JPO;	
1		conton\$3 or continuous-level or multi-level or multiple-level or	DERWENT;	
_	`	multi-gradat\$5 or multiple-gradat\$5)) and color	IBM_TDB	
12	85	(((halfton\$5 or half-ton\$5 or (half near5 ton\$5)) near5	USPAT;	2004/07/09 09:35
		(conver\$5) near5 (((continu\$6 or multi\$5) near5 (gradat\$6 or	US-PGPUB;	
		level\$4)) or	EPO; JPO;	
		conton\$3 or continuous-level or multi-level or multiple-level or	DERWENT;	
		multi-gradat\$5 or multiple-gradat\$5)) and color) and (output\$5 near4 print\$5)	IBM_TDB	
13	60	् ((((halfton\$5 or half-ton\$5 or (half near5 ton\$5)) near5	USPAT;	2004/07/09 09:35
13	00	((((nairtoins) of hair-toins) of (hair hear) toins)) hears (conver\$5) near5 (((continu\$6 or multi\$5) near5 (gradat\$6 or	US-PGPUB;	2004/07/09 09.33
		level\$4)) or	EPO; JPO;	
		conton\$3 or continuous-level or multi-level or multiple-level or	DERWENT;	
		multi-gradat\$5 or multiple-gradat\$5)) and color) and (output\$5	IBM_TDB	
		near4 print\$5)) and @ad<20001211		
14	25	((halfton\$5 or half-ton\$5 or (half near5 ton\$5)) near5	USPAT;	2004/07/09 09:35
		(conver\$5) near5 (((continu\$6 or multi\$5) near5 (gradat\$6 or	US-PGPUB;	
		level\$4)) or	EPO; JPO;	
		conton\$3 or continuous-level or multi-level or multiple-level or	DERWENT;	
		multi-gradat\$5 or multiple-gradat\$5)) and (input\$5 near5	IBM_TDB	00
		imag\$5 near5 color)		
15	17	(((halfton\$5 or half-ton\$5 or (half near5 ton\$5)) near5	USPAT;	2004/07/09 09:35
		(conver\$5) near5 (((continu\$6 or multi\$5) near5 (gradat\$6 or	US-PGPUB;	
1		level\$4)) or	EPO; JPO;	
		conton\$3 or continuous-level or multi-level or multiple-level or	DERWENT;	
		multi-gradat\$5 or multiple-gradat\$5)) and (input\$5 near5	IBM_TDB	
16	10	imag\$5 near5 color)) and (output\$5 near4 print\$5)	LICDAT.	2004/07/09 10:19
16	10	((((halfton\$5 or half-ton\$5 or (half near5 ton\$5)) near5 (conver\$5) near5 (((continu\$6 or multi\$5) near5 (gradat\$6 or	USPAT; US-PGPUB;	2004/07/09 10:19
		(conversa) nears (((continuse of mulusa) nears (gradatse of level\$4)) or	EPO; JPO;	
		conton\$3 or continuous-level or multi-level or multiple-level or	DERWENT;	
		multi-gradat\$5 or multiple-gradat\$5)) and (input\$5 near5	IBM_TDB	
		imag\$5 near5 color)) and (output\$5 near4 print\$5)) and	10.1_100	
		@ad<20001211		
L			L	L